Notice of Proposed Property Taxes

NASSAU COUNTY TAXING AUTHORITY 96135 NASSAU PLACE, SUITE 4 YULEE, FL 32097



2022 REAL ESTATE PROPERTY

37-1N-25-299F-0119-0000 HICKS CYNTHIA 54758 SHEFFIELD RD CALLAHAN FL 32011-8615

(4 of 9)

02

DO NOT PAY THIS IS NOT A BILL

The taxing authorities which levy property taxes against your property will soon hold public hearings to adopt budgets and tax rates for the next year. The purpose of these public hearings is to receive opinions from the general public and to answer questions on the proposed tax changes and budget prior to taking final action. Each taxing authority may amend or alter its proposals at the hearing.

LEGAL DESCRIPTION SEC 37 TWN 1N RNG 25 TRACT 119 NASSAU VILLAGE WEST PB 5/23



<u>SITUS ADDRESS</u> 54758 SHEFFIELD RD CALLAHAN

| | | | | | | OALL | | | |
|---------------------------|------------------|--------------------------------|---|-----|---|------------------------------|-----|--------------------------------------|---|
| | COI | UMN 1* | COLUMN 2* | | | COL | UM. | N 3* | |
| Taxing Authority | Tax Rate 2021 | Your Property Taxes 2021 | Tax Rate If No Budget Change is Adopted 2022 |] 1 | our Property Taxes If No Budget Change is dopted 2022 | Tax Rate PROPOSED 2022 | IF | Taxes PROPOSHD Budget is dopted 2022 | PUBLIC HEARING INFORMATION A public hearing on the proposed taxes and budget will be held on: |
| NASSAU COUNTY | 7.3238 | \$ 728.74 | 6.6330 | \$ | 735.07 | 7.1041 | \$ | 787.28 | 9/12/22 6PM COMMISSION CHAMBERS 96135 NASSAU PL YULEE, FL 32097 |
| SCHOOL BOARD- STATE | 3.6320 | \$ 387.45 | 3.1612 | \$ | 350.32 | 3.2550 | \$ | 360.72 | 9/08/22 5:30PM 1201 ATLANTIC AVE |
| SCHOOL BOARD - LOCAL | 2.2480 | \$ 239.81 | 1.9566 | \$ | 216.83 | 2.2480 | \$ | 249.12 | FERNANDINA BEACH, FL 32034 9/08/22 5:30PM 1201 ATLANTIC AVE FERNANDINA BEACH, FL 32034 |
| NA. CO. MUNICPL SERV FUND | 2.2770 | \$ 226.57 | 2.0716 | \$ | 229.57 | 2.2087 | \$ | 244.77 | 9/12/22 6PM COMMISSION CHAMBERS 96135 NASSAU PL YULEE, FL 32097 |
| ST JOHNS WTR MGMT DIST | .2189 | \$ 21.78 | .1974 | \$ | 21.88 | .1974 | \$ | 21.88 | 9/13/22 5:05PM 4049 REID STREET PALATKA, FL 32177 |
| FL INLAND NAVIGATION DIST | .0320 | \$ 3.18 | .0287 | \$ | 3.18 | .0320 | \$ | 3.55 | 9/08/22 5:05PM MIASF BLDG 221 SW 3RD AVE FT LAUDERDALE FL 33312 |
| | | | | | | | | | |
| Total Property Taxes | 15.7317 | \$ 1,607.53 | 14.0485 | \$ | 1,556.85 | 15.0452 | \$ | 1,667.32 | |

| Taxing | Market Value | | Assessed | d Value | Exem | ptions | Taxable Value | |
|-----------|--------------|---------|----------|---------|------|--------|---------------|---------|
| Districts | 2021 | 2022 | 2021 | 2022 | 2021 | 2022 | 2021 | 2022 |
| County | 106,678 | 110,820 | 99,503 | 110,820 | 0 | 0 | 99,503 | 110,820 |
| School | 106,678 | 110,820 | 106,678 | 110,820 | 0 | 0 | 106,678 | 110,820 |
| Other | 106,678 | 110,820 | 99,503 | 110,820 | 0 | 0 | 99,503 | 110,820 |
| 1 | I . | | | | | | | |

| Assessment Reductions | Applicable to: | Value |
|-----------------------|----------------|-------|
| None | | |
| | | |
| | | |

| Exemptions | Applicable to: | Value |
|------------|----------------|-------|
| None | | |
| | | |
| | | |
| | | |

* See reverse side for explanations.

* If you feel the market value of your property is inaccurate or does not reflect fair market value or if you are entitled to an exemption that is not reflected above contact your county property appraiser at 96135 NASSAU PL #4 YULEE, FL 32097 904-491-7309 ...

* If the property appraiser's office is unable to resolve the matter as to market value, classification, or an exemption, you may file a petition for adjustment with the Value Adjustment Board. Petition forms are available from the county property appraiser and must be filed ON OR BEFORE 9/9/2022.

* Your final tax bill may contain non-ad valorem assessments which may not be reflected on this notice such as assessments for roads, drainage, garbage, fire, lighting, water, sewer, or other government services and facilities which may be levied by your county, city, or any special district.